


Reiri Solution



Smart controller for Daikin systems in homes, offices, or hotels







Office | Home | Hotel

Reiri Solution



Smart controller

for Daikin systems



Deliver professional smart solutions to make the process as easy as possible for homeowners, office users, and hotel management

Smart access using a smartphone

Remotely access VRV and connected devices anytime and control from anywhere

Flexible integration solution

Integrate new additions into infrastructure to enhance system performance

Energy management

Improve home and building energy efficiency by remotely controlling air conditioners when they are not in use







Product Lineup





- Complete smart office building solutions
- » Full control of Daikin air-conditioning system and other smart connected devices through ReiriOffice app
- » Energy management
- » IAQ management
- » Multi-site management (Applicable for DCPF10)








- » Comfort air-conditioning solution
- » Intelligent integration with Z-wave, WiFi, Modbus, Wago smart devices (Applicable to DCPH01)
- » Voice command supported (Applicable to DCPH01)







- Complete smart hotel/resort AC solution
- » Effective air-conditioning operation
- » Achieve AC interlocking with occupancy signal, check-in/out, and windows sensor



*Adaptor for Reiri DCPA01 Required

Software Model	Description
DCPN001	Commercial Automatic Control
DCPN002	Commercial Data Analytics
DCPN003	PPD & Tenant Billing Management
DCPN004	Real-Time Energy Monitoring (R.E.M.)
DCPN005	Multi-Site Branch Expansion
DCPN006	Residential Automatic Control
DCPN007	Residential System Report
DCPN008	iTM Tenant Billing Management

Solution Model	Compatible Software
DCPF01	DCPN001, DCPN002, DCPN003, DCPN004, DCPN008
DCPF04	DCPN003, DCPN004
DCPF05	DCPN003, DCPN004
DCPF10	DCPN005
DCPH01	DCPN006, DCPN007
DCPH02	DCPN006, DCPN007



www.daikinmea.com

The present publication is drawn up by way of information only and does not constitute an offer binding upon Daikin MEA. Daikin MEA has compiled the content of this publication to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for a particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin MEA explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this publication. All content is copyrighted by Daikin MEA.

DAIKIN MIDDLE EAST AND AFRICA FZE

P.O. Box 18674, Plot MO0426, JAFZA North, Jebel Ali Free Zone, Dubai, UAE | Tel: +971 (0) 4 815 9300 | Fax: +971 (0) 4 815 9311

Web: www.daikinmea.com Toll Free: 800-DAIKIN (324546) E-mail: info@daikinmea.com











